

## EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	6	((("5280427") or ("5147372") or ("4750487"))).PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/08/17 06:18
L2	16046635	instrument or device or apparatus or tool or camera or scope or image ir imaging	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/17 06:19
L3	15876445	instrument or device or apparatus or tool or camera or scope or image or imaging	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/17 06:19
L4	9992352	position\$4 or move or moving or manipulats\$4 or alter\$4	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/17 06:21
L5	10603253	support or stanchion or stands or legs or base or arms or members	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/17 06:22
L6	11949758	ends or terminal or tips or bottom or top	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/17 06:23
L7	3426561	curve\$4 or curl or arc or snake or circular or circle	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/17 06:24
L8	8936657	holder or support or clamp or hold or holding or receptacle or receiving or receiver	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/17 06:27

## EAST Search History

L9	5037787	axis or axes or plane or planes or perpendicular or offset	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/17 06:27
L10	4826405	cross or span\$4 or bridg\$4 or crossbar	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/17 06:28
L11	4932108	3 same 4	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/17 06:31
L12	1776622	5 same 10	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/17 06:30
L13	1788319	6 same 7	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/17 06:31
L14	1300930	8 same 10	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/17 06:33
L15	999024	11 and 12	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/17 06:34
L16	1446557	5 and 13	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/17 06:38

## EAST Search History

L17	295638	14 and 15 and 16	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/17 06:39
L18	1783392	7 and 9	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/17 06:39
L19	2172155	9 and 10	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/17 06:39
L20	1130045	18 and 19	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/17 06:40
L21	234196	17 and 20	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/17 06:41
L22	147	21 and (stereotactic or stereotaxy)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/17 06:41
L23	132662	21 and (3 with 8)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/17 06:43
L24	145462	21 and (6 with 7)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/17 06:45

## EAST Search History

L25	15804	(23 or 24) and (patient or surgical or surgery or medical or imaging)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/17 06:48
L26	194138	23 or 24	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/17 06:49
L27	114193	26 and ((5 or 10) with rotat\$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/17 06:51
L28	54506	27 and (8 with 10)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/17 06:53
L29	29422	28 and (3 near5 8)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/17 06:55
L30	10713	29 and (7 with 9)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/17 06:56
L31	5588	30 and (9 with 10)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/17 06:59

## EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	7035743	instrument or tool or apparatus or camera	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/17 14:07
L2	850	(instrument or tool or apparatus or camera) and (support or leg or frame or stanchion) and ((cross or span or top or bridge) with (curve or curved or arc or curving or hook or hooked or hooking or circular)) and (holder or support or receiver or receptacle) and (planes with (perpendicular or orthogonal)) and (axis with (misaligned or offset or laterally)).clm.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/17 14:29
L3	252	(instrument or tool or apparatus or camera) and (support or leg or frame or stanchion) and ((cross or span or top or bridge) with ((end or terminal or lower) with (curve or curved or arc or curving or hook or hooked or hooking or circular))) and (holder or support or receiver or receptacle) and (planes with (perpendicular or orthogonal)) and (axis with (misaligned or offset or laterally)).clm.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/17 14:31